

CBD Isolate

Lab ID: 2603094-01

Central Oregon Processing

METRC Batch ID:

Date Sampled: 03/09/26

Date Printed: 03/17/26

Report cannot be used for OLCC/OHA compliance.

Potency Analysis

 Analytical Method: De Backer, Journal of Chromatography b.2009. 11.004 -
 SOP 102 - Cannabinoids via High Performance Liquid Chromatography

Cannabinoids	%	LOQ	Notes
THCA	< LOQ	0.137	
delta 9-THC	< LOQ	0.137	
delta 8-THC	< LOQ	0.137	
CBDA	< LOQ	0.137	
CBD	100*	0.137	
CBGA	< LOQ	0.137	
CBG	< LOQ	0.137	
CBN	< LOQ	0.137	
CBC	< LOQ	0.137	
CBDVA	< LOQ	0.137	
CBDV	0.345	0.137	
THCV	< LOQ	0.137	
THCVA	< LOQ	0.137	
Total CBG	< LOQ	0.120	
Total CBDV	0.345	0.120	
Total THCV	< LOQ	0.120	
Total Cannabinoids	100*	0.120	

Total THC
< LOQ %

Total CBD
100*

Results that fail state testing requirements will be highlighted **Red**.

* The actual result obtained from the analysis was 105%. This result has been corrected to 100%, which is within the laboratory's calculated analytical uncertainty of +/- 5.09%.

<LOQ - Results below the Limit of Quantitation

ORELAP accredited cannabinoid analytes include only CBDA, CBD, THCA, delta-9-THC, and delta-8-THC.

Acid form of THC/CBD are decarboxylated by heat, lose 12% of original mass as CO₂. Result = "bioactive"

"Total" Cannabinoid accounts for decarboxylation and moisture content. **Total THC = [(THCA*0.877) + Δ9THC] / (100%-MC)**

Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

CBD Isolate

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2603094-01

Pesticide Analysis in PPM

Date/Time Extracted: 03/12/26 23:42

Date/Time Analyzed: 03/13/26 16:52

Analysis Method/SOP: SOP 33

Instrument: Athena

Batch Identification: B26C122

Analyte	Result	Action Level	LOQ	Notes	Type
Abamectin	< LOQ	0.5	0.2500		Avermectin insecticide
Acephate	< LOQ	0.4	0.2000		Organophosphate Insecticide
Acequinocyl	< LOQ	2	1.000		Quinoline insecticide
Acetamiprid	< LOQ	0.2	0.1000		Neonicotinoid insecticide
Aldicarb	< LOQ	0.4	0.2000		Carbamate insecticide
Azoxystrobin	< LOQ	0.2	0.1000		Strobilin fungicide
Bifenazate	< LOQ	0.2	0.1000		Carbamate miticide
Bifenthrin	< LOQ	0.2	0.1000		Pyrethroid insecticide
Boscalid	< LOQ	0.4	0.2000		Carboxamide fungicide
Carbaryl	< LOQ	0.2	0.1000		Carbamate insecticide
Carbofuran	< LOQ	0.2	0.1000		Carbamate insecticide
Chlorantraniliprole	< LOQ	0.2	0.1000		Anthranilic diamide insecticide
Chlorfenapyr	< LOQ	1	0.5000		Pyrrrole insecticide
Chlorpyrifos	< LOQ	0.2	0.1000		Organophosphate Insecticide
Clofentezine	< LOQ	0.2	0.1000		Tetrazine miticide
Cyfluthrin	< LOQ	1	0.5000		Pyrethroid insecticide
Cypermethrin	< LOQ	1	0.5000		Pyrethroid insecticide
Daminozide	< LOQ	1	0.5000		Plant growth regulator
DDVP (Dichlorvos)	< LOQ	1	0.5000		Organophosphate insecticide
Diazinon	< LOQ	0.2	0.1000		Organophosphate Insecticide
Dimethoate	< LOQ	0.2	0.1000		Organophosphate insecticide
Ethoprophos	< LOQ	0.2	0.1000		Organophosphate insecticide
Etofenprox	< LOQ	0.4	0.2000		Pyrethroid insecticide
Etoxazole	< LOQ	0.2	0.1000		Oxazoline insecticide
Fenoxycarb	< LOQ	0.2	0.1000		Carbamate insecticide
Fenpyroximate	< LOQ	0.4	0.2000		Pyrazolium miticide
Fipronil	< LOQ	0.4	0.2000		Pyrazole insecticide
Fonicamid	< LOQ	1	0.5000		Pyridinecarboxamide insecticide
Fludioxonil	< LOQ	0.4	0.2000		Benzodioxole fungicide
Hexythiazox	< LOQ	1	0.5000		Heterocyclic miticide
Imazalil	< LOQ	0.2	0.1000		Imidazole fungicide
Imidacloprid	< LOQ	0.4	0.2000		Neonicotinoid insecticide
Kresoxim-methyl	< LOQ	0.4	0.2000		Strobilurin fungicide
Malathion	< LOQ	0.2	0.1000		Organophosphate insecticide

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

CBD Isolate

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2603094-01

Pesticide Analysis in PPM

Date/Time Extracted: 03/12/26 23:42

Date/Time Analyzed: 03/13/26 16:52

Analysis Method/SOP: SOP 33

Instrument: Athena

Batch Identification: B26C122

Analyte	Result	Action Level	LOQ	Notes	Type
Metalaxyl	< LOQ	0.2	0.1000		Benzenoid fungicide
Methiocarb	< LOQ	0.2	0.1000		Carbamate insecticide
Methomyl	< LOQ	0.4	0.2000		Carbamate insecticide
Methyl parathion	< LOQ	0.2	0.1000		Organophosphate insecticide
MGK-264	< LOQ	0.2	0.1000		Pesticide synergist
Myclobutanil	< LOQ	0.2	0.1000		Triazole fungicide
Naled	< LOQ	0.5	0.2500		Organophosphate insecticide
Oxamyl	< LOQ	1	0.5000		Carbamate insecticide
Paclobutrazol	< LOQ	0.4	0.2000		Triazole fungicide
Permethrins	< LOQ	0.2	0.1000		Pyrethroid insecticide
Phosmet	< LOQ	0.2	0.1000		Organophosphate insecticide
Piperonyl butoxide	< LOQ	2	1.000		Pesticide synergist
Prallethrin	< LOQ	0.2	0.1000		Pyrethroid insecticide
Propiconazole	< LOQ	0.4	0.2000		Triazole fungicide
Propoxur	< LOQ	0.2	0.1000		Carbamate insecticide
Pyrethrins	< LOQ	1	0.5000		Pyrethroid insecticide
Pyridaben	< LOQ	0.2	0.1000		Pyridazinone insecticide
Spinosad	< LOQ	0.2	0.1000		Spinosyn insecticide
Spiromesifen	< LOQ	0.2	0.1000		Keto-enol insecticide
Spirotetramat	< LOQ	0.2	0.1000		Keto-enol insecticide
Spiroxamine	< LOQ	0.4	0.2000		Spiroketalamine fungicide
Tebuconazole	< LOQ	0.4	0.2000		Triazole fungicide
Thiacloprid	< LOQ	0.2	0.1000		Neonicotinoid insecticide
Thiamethoxam	< LOQ	0.2	0.1000		Neonicotinoid insecticide
Trifloxystrobin	< LOQ	0.2	0.1000		Strobin fungicide

<LOQ - Results below the Limit of Quantitation - Compound not detected

Results above the Action Level fail state testing requirements and will be highlighted Red.

 Chris Griffey
 Lab Director



Analytical Test Report

 Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

CBD Isolate

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2603094-01

Residual Solvents Analysis in PPM

Date/Time Extracted: 03/10/26 17:02

Date/Time Analyzed: 03/11/26 06:56

Analysis Method/SOP: RS

Instrument: Enrique

Batch Identification: B26C095

Solvent	Results in ppm	LOQ	Action Level	RPD (%)	Notes
Acetone	< LOQ	2500	5000		
Acetonitrile	< LOQ	205.0	400		
Benzene	< LOQ	1.000	2		
2-Butanol	< LOQ	2500	5000		
Cumene	< LOQ	35.00	70		
Cyclohexane	< LOQ	1940	3880		
Dichloromethane	< LOQ	300.0	600		
1,4-Dioxane	< LOQ	190.0	380		
2-Ethoxyethanol	< LOQ	80.00	160		
Ethyl acetate	< LOQ	2500	5000		
Ethylene glycol	< LOQ	310.0	620		
Ethylene oxide	< LOQ	25.00	50		
Ethyl ether	< LOQ	2500	5000		
Heptane	< LOQ	2500	5000		
Isopropyl acetate	< LOQ	2500	5000		
Methanol	< LOQ	1500	3000		
Propane	< LOQ	2500	5000		
2-Propanol (IPA)	< LOQ	2500	5000		
Tetrahydrofuran	< LOQ	360.0	720		
Toluene	< LOQ	445.0	890		
Butanes	< LOQ	2500	5000		
Hexanes	< LOQ	145.0	290		
Pentanes	< LOQ	2500	5000		
Xylenes	< LOQ	1085	2170		

Results above the Action Level, or otherwise fail state testing requirements will be highlighted Red.

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.



Analytical Test Report

Science First. OLCC#: 010-1002112892C ODA: AG-L1040657A
 ORELAP ID: 4096
 7200 Johnson Creek Blvd., Portland, OR 97206 (503) 307-0096

CBD Isolate

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2603094-01

Heavy Metals Analysis in PPM

Date/Time Extracted: 03/10/26 15:12

Date/Time Analyzed: 03/11/26 13:29

Analysis Method/SOP: Microwave Digestion

Instrument: Lothar

Batch Identification: B26C091

Analyte	Result	Action Level	LOQ	Notes
Arsenic	< LOQ	0.2	0.100	
Cadmium	< LOQ	0.2	0.100	
Lead	< LOQ	0.5	0.250	
Mercury	< LOQ	0.1	0.0500	

<LOQ - Results below the Limit of Quantitation - Compound not detected

Results above the Action Level fail state testing requirements and will be highlighted Red.

Chris Griffey
 Lab Director

Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

CBD Isolate

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2603094-01

Quality Control Potency

Batch: B26C102 - Potency

Blank(B26C102-BLK1)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	< LOQ	0.133	%		03/12/26 17:16	03/12/26 20:20	
delta 9-THC	< LOQ	0.133	%		03/12/26 17:16	03/12/26 20:20	
CBGA	< LOQ	0.133	%		03/12/26 17:16	03/12/26 20:20	
CBDA	< LOQ	0.133	%		03/12/26 17:16	03/12/26 20:20	
CBD	< LOQ	0.133	%		03/12/26 17:16	03/12/26 20:20	
CBN	< LOQ	0.133	%		03/12/26 17:16	03/12/26 20:20	
CBG	< LOQ	0.133	%		03/12/26 17:16	03/12/26 20:20	
delta 8-THC	< LOQ	0.133	%		03/12/26 17:16	03/12/26 20:20	
CBC	< LOQ	0.133	%		03/12/26 17:16	03/12/26 20:20	
THCV	< LOQ	0.133	%		03/12/26 17:16	03/12/26 20:20	
THCVA	< LOQ	0.133	%		03/12/26 17:16	03/12/26 20:20	
CBDVA	< LOQ	0.133	%		03/12/26 17:16	03/12/26 20:20	
CBDV	< LOQ	0.133	%		03/12/26 17:16	03/12/26 20:20	

LCS(B26C102-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
THCA	99.1	0.137	%	90-110	03/12/26 17:16	03/12/26 20:35	
delta 9-THC	99.2	0.137	%	90-110	03/12/26 17:16	03/12/26 20:35	
CBDA	99.3	0.137	%	90-110	03/12/26 17:16	03/12/26 20:35	
CBD	99.4	0.137	%	90-110	03/12/26 17:16	03/12/26 20:35	
delta 8-THC	98.4	0.137	%	90-110	03/12/26 17:16	03/12/26 20:35	

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

CBD Isolate

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2603094-01

Quality Control Pesticide Analysis

Batch: B26C122 - Pest/Myco

Blank(B26C122-BLK1)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Abamectin	< LOQ	0.2500	ppm		03/12/26 23:42	03/13/26 13:01	
Acephate	< LOQ	0.2000	ppm		03/12/26 23:42	03/13/26 13:01	
Acequinocyl	< LOQ	1.000	ppm		03/12/26 23:42	03/13/26 13:01	
Acetamiprid	< LOQ	0.1000	ppm		03/12/26 23:42	03/13/26 13:01	
Aldicarb	< LOQ	0.2000	ppm		03/12/26 23:42	03/13/26 13:01	
Azoxystrobin	< LOQ	0.1000	ppm		03/12/26 23:42	03/13/26 13:01	
Bifenazate	< LOQ	0.1000	ppm		03/12/26 23:42	03/13/26 13:01	
Bifenthrin	< LOQ	0.1000	ppm		03/12/26 23:42	03/13/26 13:01	
Boscalid	< LOQ	0.2000	ppm		03/12/26 23:42	03/13/26 13:01	
Carbaryl	< LOQ	0.1000	ppm		03/12/26 23:42	03/13/26 13:01	
Carbofuran	< LOQ	0.1000	ppm		03/12/26 23:42	03/13/26 13:01	
Chlorantraniliprole	< LOQ	0.1000	ppm		03/12/26 23:42	03/13/26 13:01	
Chlorfenapyr	< LOQ	0.5000	ppm		03/12/26 23:42	03/13/26 13:01	
Chlorpyrifos	< LOQ	0.1000	ppm		03/12/26 23:42	03/13/26 13:01	
Clofentezine	< LOQ	0.1000	ppm		03/12/26 23:42	03/13/26 13:01	
Cyfluthrin	< LOQ	0.5000	ppm		03/12/26 23:42	03/13/26 13:01	
Cypermethrin	< LOQ	0.5000	ppm		03/12/26 23:42	03/13/26 13:01	
Daminozide	< LOQ	0.5000	ppm		03/12/26 23:42	03/13/26 13:01	
DDVP (Dichlorvos)	< LOQ	0.5000	ppm		03/12/26 23:42	03/13/26 13:01	
Diazinon	< LOQ	0.1000	ppm		03/12/26 23:42	03/13/26 13:01	
Dimethoate	< LOQ	0.1000	ppm		03/12/26 23:42	03/13/26 13:01	
Ethoprophos	< LOQ	0.1000	ppm		03/12/26 23:42	03/13/26 13:01	
Etofenprox	< LOQ	0.2000	ppm		03/12/26 23:42	03/13/26 13:01	
Etoxazole	< LOQ	0.1000	ppm		03/12/26 23:42	03/13/26 13:01	
Fenoxycarb	< LOQ	0.1000	ppm		03/12/26 23:42	03/13/26 13:01	
Fenpyroximate	< LOQ	0.2000	ppm		03/12/26 23:42	03/13/26 13:01	
Fipronil	< LOQ	0.2000	ppm		03/12/26 23:42	03/13/26 13:01	
Fonicamid	< LOQ	0.5000	ppm		03/12/26 23:42	03/13/26 13:01	
Fludioxonil	< LOQ	0.2000	ppm		03/12/26 23:42	03/13/26 13:01	
Hexythiazox	< LOQ	0.5000	ppm		03/12/26 23:42	03/13/26 13:01	
Imazalil	< LOQ	0.1000	ppm		03/12/26 23:42	03/13/26 13:01	
Imidacloprid	< LOQ	0.2000	ppm		03/12/26 23:42	03/13/26 13:01	
Kresoxim-methyl	< LOQ	0.2000	ppm		03/12/26 23:42	03/13/26 13:01	
Malathion	< LOQ	0.1000	ppm		03/12/26 23:42	03/13/26 13:01	

Chris Griffey
Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

CBD Isolate

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2603094-01

Quality Control

Pesticide Analysis (Continued)

Batch: B26C122 - Pest/Myco (Continued)

Blank(B26C122-BLK1)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Metalaxyl	< LOQ	0.1000	ppm		03/12/26 23:42	03/13/26 13:01	
Methiocarb	< LOQ	0.1000	ppm		03/12/26 23:42	03/13/26 13:01	
Methomyl	< LOQ	0.2000	ppm		03/12/26 23:42	03/13/26 13:01	
Methyl parathion	< LOQ	0.1000	ppm		03/12/26 23:42	03/13/26 13:01	
MGK-264	< LOQ	0.1000	ppm		03/12/26 23:42	03/13/26 13:01	
Myclobutanil	< LOQ	0.1000	ppm		03/12/26 23:42	03/13/26 13:01	
Naled	< LOQ	0.2500	ppm		03/12/26 23:42	03/13/26 13:01	
Oxamyl	< LOQ	0.5000	ppm		03/12/26 23:42	03/13/26 13:01	
Paclobutrazol	< LOQ	0.2000	ppm		03/12/26 23:42	03/13/26 13:01	
Permethrins	< LOQ	0.1000	ppm		03/12/26 23:42	03/13/26 13:01	
Phosmet	< LOQ	0.1000	ppm		03/12/26 23:42	03/13/26 13:01	
Piperonyl butoxide	< LOQ	1.000	ppm		03/12/26 23:42	03/13/26 13:01	
Prallethrin	< LOQ	0.1000	ppm		03/12/26 23:42	03/13/26 13:01	
Propiconazole	< LOQ	0.2000	ppm		03/12/26 23:42	03/13/26 13:01	
Propoxur	< LOQ	0.1000	ppm		03/12/26 23:42	03/13/26 13:01	
Pyrethrins	< LOQ	0.5000	ppm		03/12/26 23:42	03/13/26 13:01	
Pyridaben	< LOQ	0.1000	ppm		03/12/26 23:42	03/13/26 13:01	
Spinosad	< LOQ	0.1000	ppm		03/12/26 23:42	03/13/26 13:01	
Spiromesifen	< LOQ	0.1000	ppm		03/12/26 23:42	03/13/26 13:01	
Spirotetramat	< LOQ	0.1000	ppm		03/12/26 23:42	03/13/26 13:01	
Spiroxamine	< LOQ	0.2000	ppm		03/12/26 23:42	03/13/26 13:01	
Tebuconazole	< LOQ	0.2000	ppm		03/12/26 23:42	03/13/26 13:01	
Thiacloprid	< LOQ	0.1000	ppm		03/12/26 23:42	03/13/26 13:01	
Thiamethoxam	< LOQ	0.1000	ppm		03/12/26 23:42	03/13/26 13:01	
Trifloxystrobin	< LOQ	0.1000	ppm		03/12/26 23:42	03/13/26 13:01	

LCS(B26C122-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Abamectin	90.0	0.2500	ppm	50-150	03/12/26 23:42	03/13/26 12:45	
Acephate	101	0.2000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Acequinocyl	65.5	1.000	ppm	40-160	03/12/26 23:42	03/13/26 12:45	
Acetamiprid	100	0.1000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Aldicarb	98.2	0.2000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Azoxystrobin	93.9	0.1000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Bifenazate	91.4	0.1000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

CBD Isolate

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2603094-01

Quality Control

Pesticide Analysis (Continued)

Batch: B26C122 - Pest/Myco (Continued)

LCS(B26C122-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Bifenthrin	80.9	0.1000	ppm	50-150	03/12/26 23:42	03/13/26 12:45	
Boscalid	91.3	0.2000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Carbaryl	95.6	0.1000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Carbofuran	94.6	0.1000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Chlorantraniliprole	93.7	0.1000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Chlorfenapyr	78.3	0.5000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Chlorpyrifos	90.9	0.1000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Clofentezine	86.7	0.1000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Cyfluthrin	88.0	0.5000	ppm	50-150	03/12/26 23:42	03/13/26 12:45	
Cypermethrin	90.3	0.5000	ppm	50-150	03/12/26 23:42	03/13/26 12:45	
Daminozide	99.0	0.5000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
DDVP (Dichlorvos)	103	0.5000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Diazinon	95.7	0.1000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Dimethoate	97.3	0.1000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Ethoprophos	91.2	0.1000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Etofenprox	78.5	0.2000	ppm	50-150	03/12/26 23:42	03/13/26 12:45	
Etoxazole	92.5	0.1000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Fenoxycarb	90.2	0.1000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Fenpyroximate	88.0	0.2000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Fipronil	98.1	0.2000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Flonicamid	102	0.5000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Fludioxonil	94.1	0.2000	ppm	50-150	03/12/26 23:42	03/13/26 12:45	
Hexythiazox	82.9	0.5000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Imazalil	95.1	0.1000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Imidacloprid	101	0.2000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Kresoxim-methyl	94.4	0.2000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Malathion	92.7	0.1000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Metalaxyl	94.5	0.1000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Methiocarb	88.6	0.1000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Methomyl	97.6	0.2000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Methyl parathion	90.3	0.1000	ppm	50-150	03/12/26 23:42	03/13/26 12:45	
MGK-264	88.0	0.1000	ppm	50-150	03/12/26 23:42	03/13/26 12:45	
Myclobutanil	91.0	0.1000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Naled	92.8	0.2500	ppm	50-150	03/12/26 23:42	03/13/26 12:45	

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

CBD Isolate

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2603094-01

Quality Control

Pesticide Analysis (Continued)

Batch: B26C122 - Pest/Myco (Continued)

LCS(B26C122-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Oxamyl	98.4	0.5000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Paclobutrazol	92.9	0.2000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Permethrins	81.8	0.1000	ppm	50-150	03/12/26 23:42	03/13/26 12:45	
Phosmet	95.0	0.1000	ppm	50-150	03/12/26 23:42	03/13/26 12:45	
Piperonyl butoxide	94.2	1.000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Prallethrin	89.3	0.1000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Propiconazole	94.8	0.2000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Propoxur	104	0.1000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Pyrethrins	81.8	0.5000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Pyridaben	82.9	0.1000	ppm	50-150	03/12/26 23:42	03/13/26 12:45	
Spinosad	89.1	0.1000	ppm	50-150	03/12/26 23:42	03/13/26 12:45	
Spiromesifen	91.6	0.1000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Spirotetramat	92.7	0.1000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Spiroxamine	96.6	0.2000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Tebuconazole	90.2	0.2000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Thiacloprid	101	0.1000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Thiamethoxam	99.6	0.1000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	
Trifloxystrobin	92.9	0.1000	ppm	60-120	03/12/26 23:42	03/13/26 12:45	

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

CBD Isolate

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2603094-01

Quality Control Heavy Metals

Batch: B26C091 - Microwave Digestion

Blank(B26C091-BLK1)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Arsenic	< LOQ	0.100	ppm		03/10/26 15:12	03/11/26 11:32	
Cadmium	< LOQ	0.100	ppm		03/10/26 15:12	03/11/26 11:32	
Lead	< LOQ	0.250	ppm		03/10/26 15:12	03/11/26 11:32	
Mercury	< LOQ	0.0500	ppm		03/10/26 15:12	03/11/26 11:32	

LCS(B26C091-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Arsenic	120	0.100	ppm	80-115	03/10/26 15:12	03/11/26 11:40	Q3
Cadmium	88.8	0.100	ppm	80-115	03/10/26 15:12	03/11/26 11:40	
Lead	97.3	0.250	ppm	80-115	03/10/26 15:12	03/11/26 11:40	
Mercury	86.0	0.0500	ppm	80-115	03/10/26 15:12	03/11/26 11:40	

Chris Griffey
Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

CBD Isolate

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2603094-01

Quality Control Solvent Analysis

Batch: B26C095 - ResSolv

Blank(B26C095-BLK1)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Acetone	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 01:19	
Acetonitrile	< LOQ	205.0	ppm		03/10/26 17:02	03/11/26 01:19	
Benzene	< LOQ	1.000	ppm		03/10/26 17:02	03/11/26 01:19	
2-Butanol	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 01:19	
Cumene	< LOQ	35.00	ppm		03/10/26 17:02	03/11/26 01:19	
Cyclohexane	< LOQ	1940	ppm		03/10/26 17:02	03/11/26 01:19	
Dichloromethane	< LOQ	300.0	ppm		03/10/26 17:02	03/11/26 01:19	
1,4-Dioxane	< LOQ	190.0	ppm		03/10/26 17:02	03/11/26 01:19	
2-Ethoxyethanol	< LOQ	80.00	ppm		03/10/26 17:02	03/11/26 01:19	
Ethyl acetate	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 01:19	
Ethylene glycol	< LOQ	310.0	ppm		03/10/26 17:02	03/11/26 01:19	
Ethylene oxide	< LOQ	25.00	ppm		03/10/26 17:02	03/11/26 01:19	
Ethyl ether	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 01:19	
Heptane	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 01:19	
Isopropyl acetate	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 01:19	
Methanol	< LOQ	1500	ppm		03/10/26 17:02	03/11/26 01:19	
Propane	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 01:19	
2-Propanol (IPA)	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 01:19	
Tetrahydrofuran	< LOQ	360.0	ppm		03/10/26 17:02	03/11/26 01:19	
Toluene	< LOQ	445.0	ppm		03/10/26 17:02	03/11/26 01:19	
Butanes	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 01:19	
Hexanes	< LOQ	145.0	ppm		03/10/26 17:02	03/11/26 01:19	
Pentanes	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 01:19	
Xylenes	< LOQ	1085	ppm		03/10/26 17:02	03/11/26 01:19	

Blank(B26C095-BLK2)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Acetone	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 01:47	
Acetonitrile	< LOQ	205.0	ppm		03/10/26 17:02	03/11/26 01:47	
Benzene	< LOQ	1.000	ppm		03/10/26 17:02	03/11/26 01:47	
2-Butanol	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 01:47	
Cumene	< LOQ	35.00	ppm		03/10/26 17:02	03/11/26 01:47	
Cyclohexane	< LOQ	1940	ppm		03/10/26 17:02	03/11/26 01:47	
Dichloromethane	< LOQ	300.0	ppm		03/10/26 17:02	03/11/26 01:47	
1,4-Dioxane	< LOQ	190.0	ppm		03/10/26 17:02	03/11/26 01:47	

Chris Griffey
Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

CBD Isolate

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2603094-01

Quality Control Solvent Analysis (Continued)

Batch: B26C095 - ResSolv (Continued)

Blank(B26C095-BLK2)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
2-Ethoxyethanol	< LOQ	80.00	ppm		03/10/26 17:02	03/11/26 01:47	
Ethyl acetate	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 01:47	
Ethylene glycol	< LOQ	310.0	ppm		03/10/26 17:02	03/11/26 01:47	
Ethylene oxide	< LOQ	25.00	ppm		03/10/26 17:02	03/11/26 01:47	
Ethyl ether	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 01:47	
Heptane	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 01:47	
Isopropyl acetate	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 01:47	
Methanol	< LOQ	1500	ppm		03/10/26 17:02	03/11/26 01:47	
Propane	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 01:47	
2-Propanol (IPA)	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 01:47	
Tetrahydrofuran	< LOQ	360.0	ppm		03/10/26 17:02	03/11/26 01:47	
Toluene	< LOQ	445.0	ppm		03/10/26 17:02	03/11/26 01:47	
Butanes	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 01:47	
Hexanes	< LOQ	145.0	ppm		03/10/26 17:02	03/11/26 01:47	
Pentanes	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 01:47	
Xylenes	< LOQ	1085	ppm		03/10/26 17:02	03/11/26 01:47	

Blank(B26C095-BLK3)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Acetone	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 02:15	
Acetonitrile	< LOQ	205.0	ppm		03/10/26 17:02	03/11/26 02:15	
Benzene	< LOQ	1.000	ppm		03/10/26 17:02	03/11/26 02:15	
2-Butanol	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 02:15	
Cumene	< LOQ	35.00	ppm		03/10/26 17:02	03/11/26 02:15	
Cyclohexane	< LOQ	1940	ppm		03/10/26 17:02	03/11/26 02:15	
Dichloromethane	< LOQ	300.0	ppm		03/10/26 17:02	03/11/26 02:15	
1,4-Dioxane	< LOQ	190.0	ppm		03/10/26 17:02	03/11/26 02:15	
2-Ethoxyethanol	< LOQ	80.00	ppm		03/10/26 17:02	03/11/26 02:15	
Ethyl acetate	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 02:15	
Ethylene glycol	< LOQ	310.0	ppm		03/10/26 17:02	03/11/26 02:15	
Ethylene oxide	< LOQ	25.00	ppm		03/10/26 17:02	03/11/26 02:15	
Ethyl ether	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 02:15	
Heptane	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 02:15	
Isopropyl acetate	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 02:15	
Methanol	< LOQ	1500	ppm		03/10/26 17:02	03/11/26 02:15	

Chris Griffey
Lab Director



CBD Isolate

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2603094-01

Quality Control

Solvent Analysis (Continued)

Batch: B26C095 - ResSolv (Continued)

Blank(B26C095-BLK3)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Propane	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 02:15	
2-Propanol (IPA)	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 02:15	
Tetrahydrofuran	< LOQ	360.0	ppm		03/10/26 17:02	03/11/26 02:15	
Toluene	< LOQ	445.0	ppm		03/10/26 17:02	03/11/26 02:15	
Butanes	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 02:15	
Hexanes	< LOQ	145.0	ppm		03/10/26 17:02	03/11/26 02:15	
Pentanes	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 02:15	
Xylenes	< LOQ	1085	ppm		03/10/26 17:02	03/11/26 02:15	

Blank(B26C095-BLK4)

Analyte	Result	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Acetone	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 02:43	
Acetonitrile	< LOQ	205.0	ppm		03/10/26 17:02	03/11/26 02:43	
Benzene	< LOQ	1.000	ppm		03/10/26 17:02	03/11/26 02:43	
2-Butanol	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 02:43	
Cumene	< LOQ	35.00	ppm		03/10/26 17:02	03/11/26 02:43	
Cyclohexane	< LOQ	1940	ppm		03/10/26 17:02	03/11/26 02:43	
Dichloromethane	< LOQ	300.0	ppm		03/10/26 17:02	03/11/26 02:43	
1,4-Dioxane	< LOQ	190.0	ppm		03/10/26 17:02	03/11/26 02:43	
2-Ethoxyethanol	< LOQ	80.00	ppm		03/10/26 17:02	03/11/26 02:43	
Ethyl acetate	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 02:43	
Ethylene glycol	< LOQ	310.0	ppm		03/10/26 17:02	03/11/26 02:43	
Ethylene oxide	< LOQ	25.00	ppm		03/10/26 17:02	03/11/26 02:43	
Ethyl ether	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 02:43	
Heptane	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 02:43	
Isopropyl acetate	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 02:43	
Methanol	< LOQ	1500	ppm		03/10/26 17:02	03/11/26 02:43	
Propane	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 02:43	
2-Propanol (IPA)	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 02:43	
Tetrahydrofuran	< LOQ	360.0	ppm		03/10/26 17:02	03/11/26 02:43	
Toluene	< LOQ	445.0	ppm		03/10/26 17:02	03/11/26 02:43	
Butanes	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 02:43	
Hexanes	< LOQ	145.0	ppm		03/10/26 17:02	03/11/26 02:43	
Pentanes	< LOQ	2500	ppm		03/10/26 17:02	03/11/26 02:43	
Xylenes	< LOQ	1085	ppm		03/10/26 17:02	03/11/26 02:43	

 Chris Griffey
 Lab Director



CBD Isolate

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2603094-01

Quality Control

Solvent Analysis (Continued)

Batch: B26C095 - ResSolv (Continued)

LCS(B26C095-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Acetone	94.3	2500	ppm	60-120	03/10/26 17:02	03/11/26 00:50	
Acetonitrile	88.8	205.0	ppm	60-120	03/10/26 17:02	03/11/26 00:50	
Benzene	103	1.000	ppm	60-120	03/10/26 17:02	03/11/26 00:50	
n-Butane	100	2500	ppm	60-120	03/10/26 17:02	03/11/26 00:50	
2-Butanol	99.6	2500	ppm	60-120	03/10/26 17:02	03/11/26 00:50	
Cumene	101	35.00	ppm	60-120	03/10/26 17:02	03/11/26 00:50	
Cyclohexane	95.2	1940	ppm	60-120	03/10/26 17:02	03/11/26 00:50	
Dichloromethane	97.1	300.0	ppm	60-120	03/10/26 17:02	03/11/26 00:50	
2,2-Dimethylbutane	107	145.0	ppm	60-120	03/10/26 17:02	03/11/26 00:50	
2,3-Dimethylbutane 2-Methy	95.2	145.0	ppm	60-120	03/10/26 17:02	03/11/26 00:50	
1,4-Dioxane	96.7	190.0	ppm	60-120	03/10/26 17:02	03/11/26 00:50	
2-Ethoxyethanol	94.0	80.00	ppm	60-120	03/10/26 17:02	03/11/26 00:50	
Ethyl acetate	90.0	2500	ppm	60-120	03/10/26 17:02	03/11/26 00:50	
Ethyl benzene	105	1085	ppm	60-120	03/10/26 17:02	03/11/26 00:50	
Ethylene glycol	120	310.0	ppm	60-120	03/10/26 17:02	03/11/26 00:50	
Ethylene oxide	93.3	25.00	ppm	60-120	03/10/26 17:02	03/11/26 00:50	
Ethyl ether	102	2500	ppm	60-120	03/10/26 17:02	03/11/26 00:50	
Heptane	89.4	2500	ppm	60-120	03/10/26 17:02	03/11/26 00:50	
n-Hexane	104	145.0	ppm	60-120	03/10/26 17:02	03/11/26 00:50	
iso-Butane	104	2500	ppm	60-120	03/10/26 17:02	03/11/26 00:50	
Isopropyl acetate	99.2	2500	ppm	60-120	03/10/26 17:02	03/11/26 00:50	
iso-Pentane	105	2500	ppm	60-120	03/10/26 17:02	03/11/26 00:50	
Methanol	97.4	1500	ppm	60-120	03/10/26 17:02	03/11/26 00:50	
3-Methylpentane	105	145.0	ppm	60-120	03/10/26 17:02	03/11/26 00:50	
neo-Pentane	101	2500	ppm	60-120	03/10/26 17:02	03/11/26 00:50	
n-Pentane	102	2500	ppm	60-120	03/10/26 17:02	03/11/26 00:50	
Propane	102	2500	ppm	60-120	03/10/26 17:02	03/11/26 00:50	
2-Propanol (IPA)	91.9	2500	ppm	60-120	03/10/26 17:02	03/11/26 00:50	
Tetrahydrofuran	92.1	360.0	ppm	60-120	03/10/26 17:02	03/11/26 00:50	
Toluene	97.6	445.0	ppm	60-120	03/10/26 17:02	03/11/26 00:50	
m,p Xylene	106	1085	ppm	60-120	03/10/26 17:02	03/11/26 00:50	
o-Xylene	106	1085	ppm	60-120	03/10/26 17:02	03/11/26 00:50	
Butanes	102	2500	ppm	60-120	03/10/26 17:02	03/11/26 00:50	
Hexanes	101	145.0	ppm	60-120	03/10/26 17:02	03/11/26 00:50	

 Chris Griffey
 Lab Director



Sample tested in compliance with OAR 333-007 (TNI standards). Test results meet all requirements of NELAP and the Rose City Laboratories quality assurance plan unless otherwise noted. Samplings performed by RCL personnel follow sampling SOP 30. Samples not collected by RCL personnel are analyzed in "as received" condition. These results relate only to the sample(s) included on this report. The report may not be reproduced except in full, without the written permission of Rose City Labs. Unless otherwise indicated, all analytes included on this report are accredited by ORELAP.

CBD Isolate

Central Oregon Processing

Report cannot be used for OLCC/OHA compliance.

Laboratory ID: 2603094-01

Quality Control Solvent Analysis (Continued)

Batch: B26C095 - ResSolv (Continued)

LCS(B26C095-BS1)

Analyte	% Recovery	LOQ	Units	%Recovery Limits	Extracted	Analyzed	Notes
Pentanes	103	2500	ppm	60-120	03/10/26 17:02	03/11/26 00:50	
Xylenes	106	1085	ppm	60-120	03/10/26 17:02	03/11/26 00:50	

Notes and Definitions

- B Analyte detected in method blank, but not associated samples.
- B2 Analyte detected in sample and associate method blank.
- C Interference due to co-elution.
- D Initial result exceeded calibration range, reported data are based on analysis of a dilution.
- H Non-homogenous sample matrix affecting RPD and/or QC.
- I Manual Integration was performed.
- L Duplicate sample relative percent difference (RPD) exceeds QC limits.
- LCS 3 marginal exceedances allowed for pesticide LCS (51-71 analytes) & 2 marginal exceedances allowed for solvents LCS (31-50 analytes)
- M Anomalous results due to matrix interference.
- Q1 QC out of limits but acceptable based on remaining QC.
- Q2 Quality Control outside QC limits. Data considered estimate.
- Q3 CCV/LCS was above the acceptance criteria. Non-detect samples are considered acceptable.
- Q4 CCV/LCS was below the acceptance criteria, however the sample still exceeds the regulatory limit.
- R Marginal Exceedence.
- U Reported result is an estimate. The analyte was detected above the calibration range.
- X Problems with initial analysis, reported data are from reinjection of prepared sample.
- <LOQ - Results below the Limit of Quantitation - Compound not detected

Chris Griffey
Lab Director

